

---

# Contents



---

## Table of Contents

|   |            |
|---|------------|
| <b>Table of Contents .....</b>                            | <b>iii</b> |
| <b>Acknowledgements .....</b>                             | <b>xv</b>  |
| <b>Getting Started .....</b>                              | <b>1</b>   |
| Chapter Overview  | 1          |
| Philosophy Behind this Book                               | 1          |
| Using this Book   | 2          |
| Required Version of IDL                                   | 2          |
| Required Number of Colors in the IDL Session              | 2          |
| What if I Have Less Than 150 Colors?                      | 3          |
| What if I Have More Than 256 Colors?                      | 3          |
| Style Conventions Used in the Book                        | 3          |
| Capitalization  | 4          |
| Comments  | 4          |
| Line Continuation Characters                              | 5          |
| IDL Programs and Data Files Used in the Book              | 5          |
| Installing the Program and Data Files                     | 5          |
| Determining Your IDL Home and Current Directory           | 5          |
| Downloading the Program and Data Files Used with the Book | 6          |
| Make Sure Your Coyote Directory is on the IDL Path        | 6          |
| Copying the Data Files                                    | 7          |
| Obtaining Additional Help                                 | 7          |
| Working with IDL Commands                                 | 7          |
| Anatomy of an IDL Command                                 | 8          |
| Positional Parameters                                     | 8          |
| Keyword Parameters  | 8          |
| IDL Procedures and Functions                              | 9          |
| Help with IDL Commands                                    | 10         |
| Creating Command Journals                                 | 10         |

## Table of Contents

|  |    |
|--|----|
| Creating Variables                                   | 10 |
| Variable Attributes Change Dynamically               | 12 |
| Be Careful With Integer Variables                    | 13 |
| Working with Vectors and Arrays                      | 14 |
| Creating Vectors                                     | 14 |
| Using Array Subscripts                               | 14 |
| Creating Arrays                                      | 15 |
| Accessing Elements in Arrays                         | 15 |
| Extracting Vectors and Subarrays                     | 16 |
| Working with IDL Graphics Windows                    | 17 |
| Creating Graphics Windows                            | 17 |
| Determining the Current Graphics Window              | 17 |
| Making a Graphics Window the Current Graphics Window | 17 |
| Deleting Graphics Windows                            | 18 |
| Positioning and Sizing Graphics Windows              | 18 |
| Bringing a Graphics Window Forward on the Display    | 18 |
| Putting a Title on a Graphics Window                 | 19 |
| Erasing a Graphics Window                            | 19 |

## Simple Graphical Displays .....21

|   |    |
|---|----|
| Chapter Overview                              | 21 |
| Simple Graphical Displays in IDL              | 21 |
| Creating Line Plots                           | 22 |
| Customizing Graphics Plots                    | 24 |
| Modifying Line Styles and Thicknesses         | 25 |
| Displaying Data with Symbols Instead of Lines | 25 |
| Displaying Data with Lines and Symbols        | 25 |
| Creating Your Own Plotting Symbols            | 27 |
| Drawing Line Plots in Color                   | 27 |
| Limiting the Range of Line Plots              | 28 |
| Changing the Style of Line Plots              | 28 |
| Plotting Multiple Data Sets on Line Plots     | 30 |
| Plotting Data on Multiple Axes                | 31 |
| Creating Surface Plots                        | 32 |
| Customizing Surface Plots                     | 34 |
| Rotating Surface Plots                        | 34 |
| Adding Color to a Surface Plot                | 35 |
| Modifying the Appearance of a Surface Plot    | 35 |
| Creating Shaded Surface Plots                 | 36 |
| Changing the Shading Parameters               | 37 |
| Using Another Data Set For the Shading Values | 37 |
| Creating Contour Plots                        | 38 |
| Selecting Contour Levels                      | 40 |

- Modifying a Contour Plot 41
  - Changing the Appearance of a Contour Plot 41
  - Adding Color to a Contour Plot 43
- Creating a Filled Contour Plot 44
- Positioning Graphic Output in the Display Window 45
  - Setting the Graphic Margins 45
  - Setting the Graphic Position 47
  - Setting the Graphic Region 48
  - Creating Multiple Graphics Plots 48
    - Leaving Room for Titles with Multiple Graphics Plots 49
    - Non-Symmetrical Arrangements with !P.Multi 50
- Adding Text to Graphics Displays 52
  - Using Software Fonts 52
  - Aligning Text 53
  - Erasing Text 54
  - Orienting Text 54
- Adding Lines and Symbols to Graphical Displays 54
- Adding Color to Your Graphical Displays 55

## **Working with Image Data ..... 59**

- Chapter Overview 59
- Working with Images 59
  - Displaying Images 60
  - Scaling Image Data 61
    - Scaling Images into Different Portions of the Color Table 62
  - Displaying 24-Bit Images 63
  - Controlling Image Display Order 64
  - Changing Image Size 64
    - Changing Image Size in PostScript 65
  - Positioning an Image in the Display Window 66
    - Positioning Images with Normalized Coordinates 66
  - Reading Images from the Display Device 68
- Basic Image Processing in IDL 69
  - Histogram Equalization 69
  - Smoothing Images 70
    - Removing Noise From Images 72
  - Enhancing the Edges of Images 73
- Frequency Domain Filtering of Images 74
  - Building Image Filters 74

## **Graphical Display Techniques ..... 79**

- Chapter Overview 79
- Working with Colors in IDL 79

## Table of Contents

|  |     |
|--|-----|
| Using the Indexed versus the RGB Color Model         | 80  |
| Specifying Colors on an 8-Bit Display                | 81  |
| Specifying Decomposed Colors on a 24-Bit Display     | 82  |
| Loading Color Tables on a 24-Bit Display             | 84  |
| Obtaining a Copy of the Color Table                  | 84  |
| Modifying and Creating Color Tables                  | 85  |
| Saving Your Own Color Tables                         | 86  |
| Creating Your Own Axis Annotations                   | 87  |
| Adjusting Axis Tick Intervals                        | 87  |
| Formatting Axis Annotations                          | 88  |
| Writing a Tick Format Function                       | 89  |
| Handling Missing Data in IDL                         | 91  |
| Setting Up a 3D Coordinate System in IDL             | 93  |
| Setting Up a 3D Scatter Plot                         | 93  |
| Positioning the 3D Axes Through the Origin of a Plot | 94  |
| Combining Simple Graphical Displays                  | 96  |
| Animating Data in IDL                                | 98  |
| Setting Up the Animation Tool                        | 99  |
| Loading the Animation Buffer                         | 99  |
| Running the Animation Tool                           | 99  |
| Controlling the Animation                            | 99  |
| Saving Animation Pixmaps                             | 100 |
| Animating Other Types of Graphic Data                | 100 |
| Gridding Data for Graphical Display                  | 101 |
| Delaunay Triangulation Method of Gridding            | 101 |
| Spherical Gridding of Data                           | 104 |

## Graphical Display Tricks ..... 107

|  |     |
|--|-----|
| Chapter Overview                                 | 107 |
| Using the Cursor with Graphical Displays         | 107 |
| When Is the Cursor Position Returned?            | 108 |
| Which Mouse Button Was Used with the Cursor?     | 108 |
| Annotating Graphics Output with the Cursor       | 109 |
| Drawing a Box                                    | 109 |
| Using the Cursor with Images                     | 110 |
| Using the Cursor in Loops                        | 111 |
| Erasing Annotation From the Display              | 112 |
| The “Exclusive OR” Method of Erasing Annotation  | 112 |
| The “Device Copy” Method of Erasing Annotation   | 114 |
| Drawing a Rubberband Box                         | 117 |
| Graphics Window Scrolling                        | 118 |
| Graphics Display Tricks in the Z-Graphics Buffer | 119 |
| The Z-Graphics Buffer Implementation             | 119 |
| A Z-Graphics Buffer Example: Two Surfaces        | 120 |

|   |     |
|---|-----|
| Make the Z-Graphics Buffer the Current Device             | 120 |
| Configure the Z-Graphics Buffer                           | 121 |
| Load the Objects into the Z-Graphics Buffer               | 121 |
| Take a Picture of the Projection Plane                    | 121 |
| Display the Result on the Display Device                  | 121 |
| Some Z-Graphics Buffer Oddities                           | 122 |
| Warping Images with the Z-Graphics Buffer                 | 122 |
| Transparency Effects in the Z-Graphics Buffer             | 125 |
| Combining Z-Graphics Buffer Effects with Volume Rendering | 125 |

## **Reading and Writing Data in IDL ..... 127**

|  |     |
|--|-----|
| Chapter Overview   | 127 |
| Opening a File for Reading or Writing                      | 127 |
| Locating and Selecting Data Files                          | 128 |
| Selecting File Names                                       | 128 |
| Finding Files  | 129 |
| Constructing File Names                                    | 129 |
| Obtaining a Logical Unit Number                            | 129 |
| Using Logical Unit Numbers Directly                        | 129 |
| Allowing IDL to Manage Logical Unit Numbers                | 130 |
| Determining Which Files are Attached to Which LUNs         | 131 |
| Reading and Writing Formatted Data                         | 131 |
| Writing a Free Format File                                 | 131 |
| Reading a Free Format File                                 | 132 |
| Rules For Reading Free Format Data                         | 132 |
| Examples of Reading and Writing Free Format Files          | 134 |
| Reading a Simple Data File                                 | 134 |
| Writing a Column-Format Data File                          | 135 |
| Reading a Column-Format Data File                          | 136 |
| Creating a Template for Reading Column-Format Data         | 138 |
| Writing an Explicit Format File                            | 139 |
| A Few Common Format Specifiers                             | 139 |
| Writing a Comma Separated Explicitly Formatted Data File   | 140 |
| Reading a Comma Separated Explicitly Formatted Data File   | 140 |
| Reading Formatted Data From a String                       | 140 |
| Reading and Writing Unformatted Data                       | 141 |
| Reading an Unformatted Image Data File                     | 141 |
| Writing an Unformatted Image Data File                     | 142 |
| Reading Unformatted Data Files with Headers                | 143 |
| Problems with Unformatted Data Files                       | 144 |
| Accessing Unformatted Data Files with Associated Variables | 144 |
| Advantages of Associated Variables                         | 145 |
| Defining Associated Variables                              | 145 |
| Reading and Writing Files with Popular File Formats        | 146 |
| Creating Color GIF Files                                   | 146 |
| Writing a GIF File   | 147 |
| Reading a GIF File   | 148 |

- Creating Color JPEG Files 148
  - Writing a JPEG File 149
  - Reading a JPEG File 149

## **Reading and Writing HDF Data ..... 151**

- Chapter Overview 151
- Why Use the HDF Format? 152
- Primary HDF Data Objects 152
- HDF Application Programming Interface 154
- Working with HDF Files 155
  - Opening HDF Files 155
  - Closing HDF Files 156
  - Determining the Number of Tags in an HDF File 156
- Working with Scientific Data Set HDF Files 157
  - Optional Dimension Scales 157
  - Optional User-Defined Attributes 157
  - Optional Predefined Attributes 159
  - Opening HDF Files Containing Scientific Data Sets 159
  - Closing HDF Files Containing Scientific Data Sets 159
  - Creating or Selecting Scientific Data Sets 160
    - Creating a New SDS 160
    - Selecting an Existing SDS 161
  - Adding Attributes to Scientific Data Sets and HDF Files 161
  - Gathering Information about Scientific Data Sets 163
    - Gathering SDS Attribute Information 164
- Adding Color Palettes to HDF Files 164
- Examples of Reading and Writing HDF Files 165

## **Creating Hardcopy Graphics Output ..... 167**

- Chapter Overview 167
- Selecting the Graphics Hardcopy Output Device 167
- Configuring the Graphics Hardcopy Output Device 168
  - Determining the Current Device Configuration 169
  - Common Device Command Keywords 169
  - Creating the PostScript File 170
  - Configuring the Printer Device 171
- Sending Graphics to the Hardcopy Device 172
- Printing PostScript Files 174
  - Printing PostScript Files on Computers Running MacOS 175
  - Printing PostScript Files on a Windows Computer 175
- Producing Encapsulated PostScript Output 175
  - Encapsulated PostScript Graphic Preview 176

|  |     |
|--|-----|
| Producing Color PostScript Output  | 176 |
| Color and Gray Scale Images in PostScript                                  | 177 |
| True-Color Images  | 177 |
| Creating Quality Output on PostScript Devices                              | 177 |
| Similarities Between the Display and PostScript Devices                    | 178 |
| Differences Between the Display and PostScript Devices                     | 178 |
| Problem: PostScript Windows May Have a Different Aspect Ratio              | 179 |
| Solution: Make the Aspect Ratios of Graphics Windows the Same Size         | 179 |
| Problem: PostScript Devices Have a Higher Display Resolution               | 180 |
| Solution: Don't Use Device Coordinates to Position Graphics                | 181 |
| Problem: PostScript Devices Can Use Different Display Fonts                | 181 |
| Solution: Take Care in Designing and Positioning Text                      | 181 |
| Problem: PostScript Devices Use Background and Plotting Colors Differently | 183 |
| Solution: Understand How PostScript Handles Background and Plotting Colors | 185 |
| Problem: PostScript Devices Have More Colors Than the Display Device       | 186 |
| Solution: Be Sure to Scale Your Data Appropriately in PostScript           | 187 |
| Problem: PostScript Devices Display Images Differently                     | 187 |
| Solution: Size Images with the TV Command                                  | 190 |
| Calculating PostScript Offsets in Landscape Mode                           | 193 |
| Configuring the PostScript Device with PS_Form                             | 195 |

## **IDL Programming Fundamentals ..... 197**

|  |     |
|--|-----|
| Chapter Overview   | 197 |
| Writing an IDL Batch File                                  | 197 |
| Writing a Main-Level IDL Program                           | 198 |
| Writing an IDL Procedure                                   | 199 |
| Scope of Procedure and Function Variables                  | 200 |
| Creating a Positional Parameter                            | 201 |
| Defining Optional or Required Positional Parameters        | 202 |
| Defining a Keyword Parameter                               | 203 |
| Using Keyword Abbreviations                                | 203 |
| Defining Optional Keyword Parameters                       | 204 |
| Is the Keyword Defined?                                    | 205 |
| Handling Keywords with Binary Properties                   | 205 |
| Creating Output Parameters                                 | 206 |
| Passing Information by Reference or by Value               | 207 |
| Is the Parameter Present?                                  | 209 |
| Writing an IDL Function                                    | 210 |
| Square Bracket Notation and Function Calls                 | 212 |
| Reserving Function Names with the Forward_Function Command | 212 |
| Using Program Control Statements                           | 212 |
| True and False Expressions in IDL                          | 212 |
| Making Multiple Statements Appear As Single Statements     | 213 |
| The IF...THEN...ELSE Control Statement                     | 214 |
| The FOR Loop Control Statement                             | 215 |

- The WHILE Loop Control Statement 216
- The REPEAT...UNTIL Loop Control Statement 216
- The CASE Control Statement 216
- The GOTO Control Statement 217
- Error Handling Control Statements 217
  - The On\_IOError Control Statement 217
  - The On\_Error Control Statement 218
  - The Catch Control Statement 219
  - Error Handling Hierarchy 219
- Compiling and Running IDL Program Modules 220
  - Rules for Compiling IDL Program Modules 221
  - Rules for Compiling and Running Programs Automatically 221
  - Special Compilation Commands 222

## Writing an IDL Program .....223

- Chapter Overview 223
- The Basic ImageBar Program 224
  - Adding an “Erase First” Capability to the ImageBar Program 227
  - Adding Color Awareness to the ImageBar Program 228
  - Passing Keyword Arguments to Commands Inside ImageBar 230
    - Using Keyword Inheritance 230
  - Changing Character Size According to Window Size 232
  - The Final ImageBar Program Code 233
    - Useful Program Features 234
  - Wrapping ImageBar in a Graphical User Interface 235

## Writing a Simple Widget Program .....237

- Chapter Overview 237
- The Structure of Widget Programs 237
- How Do Widget Programs Respond to Events? 239
- Writing the Widget Definition Module 239
  - Defining and Creating the Program’s Widgets 240
    - Creating the Top-Level Base Widget 241
    - Creating Buttons for the Menubar 241
    - Creating the Graphics Window for the Program 242
  - Realizing the Widgets on the Display 242
  - Making the Draw Widget the Current Graphics Window 242
  - Displaying the Graphics in the Draw Widget Window 243
  - Storing Information Required to Run the Program 243
    - Using Widget User Values to Store Program Information 244
  - Creating the Event Loop and Registering the Program 244
  - Running the Program 245
  - Creating Non-Blocking Widget Programs 246
- Writing the Event Handler Modules 246
  - Common Fields in Event Structures 246



|  |     |
|--|-----|
| Event Handler Functions                              | 247 |
| Associating Event Handlers with Widgets              | 248 |
| Writing the Quit Button Event Handler                | 250 |
| Writing the Resizeable Graphics Window Event Handler | 250 |
| Adding Minor Program Modifications                   | 252 |
| Adding Color Awareness                               | 252 |
| Practicing Better Memory Management                  | 253 |
| Using Pointers to Store the Program Information      | 256 |

## **Widget Programming Techniques ..... 257**

|   |     |
|---|-----|
| Chapter Overview                                    | 257 |
| Changing Color Tables                               | 258 |
| Protecting Common Blocks                            | 258 |
| An Alternative Color Table Tool                     | 259 |
| A Problem with Keyword Inheritance                  | 259 |
| Writing the Color Table Tool Event Handler          | 261 |
| Specifying Group Leaders                            | 262 |
| Adding Group Leaders to Widget Programs             | 263 |
| Changing Color Tables on 24-Bit Displays            | 264 |
| Creating and Sending Events to Other Programs       | 264 |
| Using Pointers in Widget Programs                   | 266 |
| Using Cleanup Routines to Prevent Memory Leakage    | 268 |
| Using Pseudo Events for Program Communication       | 269 |
| Creating a Program “Action Memory”                  | 271 |
| Protecting Widget Program Colors                    | 273 |
| Color Protection via Widget Tracking Events         | 275 |
| Color Protection via Draw Widget Button Events      | 276 |
| Saving Or Publishing the Program’s Graphical Output | 276 |

## **Widget Dialog Programs ..... 281**

|   |     |
|---|-----|
| Chapter Overview                                | 281 |
| Creating a Modal Widget Dialog                  | 281 |
| A Blocking Widget Program                       | 282 |
| A Modal Widget Program                          | 283 |
| Writing a Modal Dialog Widget Definition Module | 283 |
| Defining a Modal Top-Level Base                 | 284 |
| Defining Other Widgets                          | 285 |
| Storing Collected Information in Modal Dialogs  | 285 |
| Creating the Info Structure                     | 286 |
| Creating a Blocked Widget                       | 286 |
| Returning from the Block                        | 286 |
| Writing a Modal Dialog Event Handler Module     | 287 |
| Testing the Modal Dialog Program                | 288 |
| Creating a Non-Modal Widget Dialog              | 289 |

Writing a Non-Modal Dialog Widget Definition Module 289  
    Notifying Widgets of Program Events 291  
Writing a Non-Modal Dialog Event Handler Module 292  
    Sending Events to Other Widgets 292  
Testing the Non-Modal Dialog Program 293

## Appendix A: Widget Event Structures .....295

Event Structure Definition 295  
    Common Field Definitions 295

Basic Widget Event Structures 295  
    Base Widget 295  
    Button Widget 296  
    Draw Widget 296  
    Droplist Widget 296  
    Label Widget 296  
    List Widget 296  
    Slider Widget 297  
    Table Widget 297  
        Character Insertion Event 297  
        String Insertion Event 297  
        Delete String Event 297  
        Text Selection Event 297  
        Cell Selection Event 297  
        Row Height Changed Event 298  
        Column Width Changed Event 298  
        Invalid Data Event 298  
    Text Widget 298  
        Character Insertion Event 298  
        String Insertion Event 298  
        Delete String Event 298  
        Text Selection Event 299

Compound Widget Event Structures 299  
    CW\_Animate 299  
    CW\_Arcball 299  
    CW\_BGroup 299  
    CW\_Clr\_Index 299  
    CW\_Color\_Sel 299  
    CW\_DefROI 299  
    CW\_Field 300  
    CW\_Form 300  
    CW\_FSlider 300  
    CW\_Orient 300  
    CW\_PDMenu 300  
    CW\_RGBSlider 300  
    CW\_Zoom 300

Widget Program Event Structures 301  
    XColors 301

Other Widget Event Structures 301  
    Keyboard Focus Events 301  
    Kill Widget Request Events 301  
    Widget Timer Events 301  
    Widget Tracking Events 301

**Appendix B: Data File Descriptions ..... 303**

**Appendix C: IDL Source Code ..... 305**

IDL Example Programs 305  
HDFRead Program 305  
HDFWrite Program 307  
GetData Program 310  
GetFile Program 313

**Index ..... 317**